

FUJI TKT

ELEVATOR - ESCALATOR

PT. TRISAKA KARYA TEKNIK

Address : Jl. Kampung Kelapa No. 24 RT002/RW012
Desa Segara Jaya - Kec. Tarumajaya
Bekasi Utara, Jawa Barat 17218

Telp : +62 831 - 4201 - 6858

Mobile : +62 859 - 3509 - 8696

FUJI TKT
ELEVATOR - ESCALATOR



TRISAKA
KARYA TEKNIK

Every Lift, Every Step, Safety First
PT. TRISAKA KARYA TEKNIK

EXQUISITE QUALITY
INNOVATIVE
TECHNOLOGIES



Comfortable



High-quality



Intelligent



BEYOND IMAGINATION BRAND NEW VILLA LIFESTYLE

Continuing Nordic design aesthetics,
traditional exquisite craftsmanship is combined with
modern design practice,
to improve the quality of life and happiness at home.



Exquisite space

Panoramic sightseeing glass shaft, exquisite and transparent; The inner wall of elevator is beautiful and elegant, creating an artistic living space, allowing you to enjoy the journey by elevator.



Luxury quality

Preferred materials combined with innovative technology, every detail brings comfortable touch and luxurious experience to users such as carpet, lighting, control panel and so forth.

DEDICATED TO
GUARDING THE
SENSE OF SECURITY
OF THE FAMILY



Intelligent Elf Remote interconnection, one-click control

It integrates touch sensing, remote data monitoring and other functions to guarantee the safety of elevators at any time.

Security frame

Three-sided safety frame protection prevents accidental touch or sticking when the elevator is running.

Safety glass

High-strength double-layer laminated glass eliminates the risk of glass fragmentation.

Child lock function

Equipped with safety child lock to prevent children from the risk of taking the elevator alone.

Safety elevator roof

Prevent foreign objects from entering the hoistway when it is not completely closed.

Emergency level of power outage

Enter the emergency level mode and stop at the nearest floor in case of power failure.

Fall detection alarm

If a person is trapped or falls down, automatic visual inspection will give an alarm.

One-click call for help

In case of sudden failure, the preset emergency contact person can be called with one click.

Purification system

Anion and ultraviolet double purification and sterilization system can conduct a deep purification and deodorization, and intelligent sterilization, so as to protect the family health.

Intelligent elevator calling

Health and intelligent calling modes such as face recognition calling, voice calling and fingerprint recognition calling can be customized.

Stop when overload

When the rated load is exceeded, the alarm sounds and the elevator cannot run up and down.

FLEXIBLE LAYOUT ENJOY THE BEAUTY OF LIFE

Small size, compact structure, no need for computer room, personalized and precise customization, modular and efficient assembly, suitable for private houses such as villas, duplex buildings and multi-storey penthouses.

Diversified layout



Installation scheme of hollow hall



Installation scheme of staircases wrapping



Installation scheme of floor center



Scheme of small space bottomless pit in penthouse apartment



Aluminum alloy derrick

Integrated sightseeing special aluminum alloy derrick with built-in driving system and compact structure.


Enlarge space

No side wall saves the hoistway space and enlarges elevator space.



Flexible adaptation

The requirements of top floor and pit are extremely low, which can adapt to various land construction requirements.





FASHIONABLE APPEARANCE KEEPING UP WITH THE TREND OF HOME

Small size, compact structure, no need for computer room, personalized and precise customization, modular and efficient assembly, suitable for private houses such as villas, duplex buildings and multi-storey penthouses.



Pine green (Optional)



Prussian blue (Optional)



Glaze red (Optional)



Jazz grey (Optional)

DOOR SYSTEM

DO1

Sliding door



DO2

Single leaf automatic swing door




DO3

Center split automatic swing door



SMART CONTROL PANEL/HOP



COP19

Optional

13.3-inch touch screen



COP22


Optional

13.3-inch touch screen



HB15


Optional



HB17

Optional

ART BACKPLANE



G901

Optional

Luminous plate: Nano light guide plate, shadowless lamp belt, aluminum frame edging

Floor: Woven carpet



G904

Optional

Luminous plate: Nano light guide plate, shadowless lamp belt, aluminum frame edging

Floor: Woven carpet



G912

Optional

Luminous plate: Nano light guide plate, shadowless lamp belt, aluminum frame edging

Floor: Woven carpet



G915

Optional

Luminous plate: Nano light guide plate, shadowless lamp belt, aluminum frame edging

Floor: Woven carpet


ART BACKPLANE



G901S

Optional


Hoistway ceiling: Glazed acrylic, ambient light
 Hoistway sealing plate: Aluminum paint board, 6000k ambient light
 Platform backplane: Patented UV printed nano light guide plate, inlaid green diamond breathing flash lamp, 6000K atmosphere lamp in the frame
 Platform floor: Parquet solid wood floor edged with aluminum profile



G902S

Optional

Hoistway ceiling: Starry sky top, line lamp
 Hoistway sealing plate: Aluminum paint board, 6000k ambient light
 Platform backplane: Patented UV printed nano light guide plate, inlaid yellow diamond breathing flash lamp, 6000K atmosphere lamp in the frame
 Platform floor: Alpine blue rock plate edged with aluminum profile



G906S

Optional

Hoistway ceiling: Apple silver carbon crystal plate, linear light, downlight
 Hoistway sealing plate: Metal paint panel, 6000k ambient light
 Platform backplane: Middle rock board, two side light board, monochrome, optional colorful fantasy, aluminum honeycomb substrate, 29mm thickness
 Platform floor: Rock plate edged with aluminum profile



G908S

Optional

Hoistway ceiling: Water corrugated carbon crystal plate, linear lamp
 Hoistway sealing plate: Bamboo fiber board with metal dividers, linear lights on both sides, 15mm thickness
 Platform backplane: Middle rock board, two side light board, monochrome, optional colorful fantasy, aluminum honeycomb substrate, 29mm thickness
 Platform floor: Rock plate edged with aluminum profile

ART BACKPLANE



G918

Optional

Luminous plate: Nano light guide plate, shadowless lamp belt, aluminum frame edging

Floor: Woven carpet



G925

Optional

Luminous plate: Nano light guide plate, shadowless lamp belt, aluminum frame edging

Floor: Woven carpet




G932

Optional

Luminous plate: Nano light guide plate, shadowless lamp belt, aluminum frame edging

Floor: Woven carpet



G936

Optional

Light: 3000-6000K adjustable color temperature, music lights

Light guide: High-transmittance light guide plate, paper textured resin

Wood finish: Black oak wood finish

Frame color: Black

ART BACKPLANE



G901G

Optional

Ceiling: Bright and transparent ceiling
Backplane: Rock board, carbon crystal board, atmosphere light
Side wall: Transparent glass
Handrail: Stainless steel handrail
Floor: Woven carpet



G902G

Optional

Ceiling: Transparent white roof
Back: White acrylic, black titanium mirror stainless steel decoration, atmosphere light
Side wall: Transparent glass
Handrail: Stainless steel handrail
Floor: Woven carpet



G903G

Optional

Ceiling: Painted ceiling
Back: White acrylic, black titanium mirror stainless steel decoration, atmosphere light
Side wall: Transparent glass
Handrail: Wood grain handrail
Floor: Woven carpet



G904G

Optional

Ceiling: Starry sky ceiling, linear light
Backplane: Rock board, carbon crystal board, atmosphere light
Side wall: Transparent glass
Floor: Woven carpet

OTHER DECORATION

Ceiling



C905
Optional



C907
Optional



C908
Optional



C909
Optional




C910
Optional



C911
Optional



C912
Optional




C913
Optional



Floor



DB16
Optional




DB17
Optional



DB18
Optional



DB25
Optional



DB26
Optional


Floor -PVC

FUNCTION TABLE

Note: "●" is a standard function and "○" is an optional function

 Smart Big Screen	 VVVF Drive	 Ground Foot Switch
 Overload Holding Stop	 Emergency Car Lighting	 Energy-saving Car Illumination Function
 One-click Call	 Upward Over-speed Protection Device	 Downward Over-speed Protection Device
 Power Failure Emergency Levelling Device	 Intelligent Voice Assistant	 Ambient Light Can Be Adjusted Freely
 Stereo Surround Sound	 Noise Cancelling Voice Microphone	 Exclusive Interface Customization
 Voice Announcer	 IC Card Control Function	 Voice Calm Function
 Intelligent Voice Call	 Face recognition call	 Intelligent Light Control
 Fall Detection Alarm	 Remote Data Monitoring	 Call Elevators By Fingerprints
 One-click Self-rescue Function	 Child Safety Lock Function	 Privacy Security Settings

TECHNICAL PARAMETER



RATED LOAD	RATED SPEED	LIFTING HEIGHT	LANDING
260	0.25-0.3m/s	2.5-15m	2-6storey
320	0.25-0.3m/s	2.5-15m	2-6storey
400	0.25-0.3m/s	2.5-15m	2-6storey

FRAME SIZE	WIDTH DEPTH	980	1080	1180	1280	1380	DOOR OPENING WIDTH
		RIDE SPACE	RIDE SPACE	RIDE SPACE	RIDE SPACE	RIDE SPACE	
REAR COUNTER-WEIGHT	950	900*600	900*700	900*800	900*900	900*1000	700
	1050	1000*600	1000*700	1000*800	1000*900	1000*1000	800
	1150	1100*600	1100*700	1100*800	1100*900	1100*1000	800
	1250	1200*600	1200*700	1200*800	1200*900	1200*1000	800
	1350	1300*600	1300*700	1300*800	1300*900	1300*1000	800
SIDE MOUNTED COUNTER-WEIGHT	WIDTH DEPTH	950	1050	1150	1250	1350	DOOR OPENING WIDTH
		RIDE SPACE	RIDE SPACE	RIDE SPACE	RIDE SPACE	RIDE SPACE	
	1180	800*900	800*1000	800*1100	800*1200	800*1300	600
	1230	850*900	850*1000	850*1100	850*1200	850*1300	650
	1280	900*900	900*1000	900*1100	900*1200	900*1300	700
	1330	950*900	950*1000	950*1100	950*1200	950*1300	750
	1380	1000*900	1000*1000	1000*1100	1000*1200	1000*1300	800

Note: The reserved size of hoistway should be greater than or equal to the frame size plus 20mm, the speed is 0.25-0.3m/s, and the pit is greater than or equal to 100mm

A LIFE CYCLE SERVICE SOLUTION

Choose Danspace, and we will provide you with tailor-made life cycle service solutions. From early demand analysis, to mid-term land construction survey, scheme customization, installation and debugging, then to later maintenance and renovation services, one-stop worry-free service, you will live a worry-free life.



Demand analysis

Call Danspace's national service hotline 400-8875-078, and we will send a professional team to visit you at the agreed time to analyze your needs.



Site investigation

Professional engineers will determine the installation location and construction blueprint based on your building structure, site measurement data.



Plan making

Contract and customize your home elevator solution based on site data and construction blueprints.



Door-to-door installation

With us or an authorized partner, the elevator will be delivered to the location agreed with you, and the elevator will be installed and adjusted until it is stable.



Regular maintenance

After the elevator is put into operation, it will also provide you with a scientific maintenance plan. The professional maintenance team and the remote monitoring system of the Internet of Things will take care of your elevator in real time and maintain it in time to keep it in good running condition.